


HORSE VACCINES

FOR ADULT HORSES
PRESENTED BY THE EQUINE SCIENCE CENTER

CORE VACCINES

	PREVIOUSLY VACCINATED	UNVACCINATED	SPECIAL CIRCUMSTANCES	BROODMARES
TETANUS	GIVEN ANNUALLY	INITIAL AND SECOND BOOSTER IN 4 - 6 WEEKS	BOOSTER AFTER PENETRATING INJURY OR PRIOR TO SURGERY (IF PREVIOUS VACCINATION IS OVER 6 MONTHS)	BOOSTER 4 - 6 WEEKS BEFORE FOALING OR PRIOR TO BREEDING
EEE WEE VEE	GIVEN ANNUALLY PRIOR TO FLY/MOSQUITO SEASON	INITIAL AND SECOND BOOSTER IN 4 - 6 WEEKS	SUGGESTED EVERY 6 MONTHS FOR ENDEMIC AREAS, JUVENILE (>5 YR), GERIATRIC (>15 YR), OR IMMUNOCOMPROMISED HORSES	BOOSTER 4 - 6 WEEKS BEFORE FOALING OR PRIOR TO BREEDING
WNV	GIVEN ANNUALLY PRIOR TO FLY/MOSQUITO SEASON	INITIAL AND SECOND BOOSTER IN 4 - 6 WEEKS	SUGGESTED EVERY 6 MONTHS FOR ENDEMIC AREAS AND IMMUNOCOMPROMISED HORSES	BOOSTER 4 - 6 WEEKS BEFORE FOALING OR PRIOR TO BREEDING
RABIES	GIVEN ANNUALLY	INITIAL AND SECOND BOOSTER IN 4 - 6 WEEKS	BOOSTER IF EXPOSED TO A POSSIBLE RABID ANIMAL FOLLOW STATE GUIDELINES FOR RABIES QUARANTINE PROTOCOL	BOOSTER 4 - 6 WEEKS BEFORE FOALING OR PRIOR TO BREEDING



THE HORSE'S IMMUNE SYSTEM TAKES A MINIMUM OF 2 WEEKS TO GENERATE THE ANTIBODIES NEEDED



YOUR VET CAN INOCULATE YOUR HORSE AGAINST SEVERAL DISEASES WITH ONLY ONE INJECTION

VISIT ESC.RUTGERS.EDU FOR MORE INFOGRAPHIC VACCINATION SCHEDULES

RUTGERS

New Jersey Agricultural Experiment Station

While recommendations are based upon those from the American Association of Equine Practitioners (AAEP). Vaccination schedules can change based upon things such as location, outbreaks, and the general health history of your horse. Your veterinarian knows you and your horse the best, consult with him or her to customize a vaccination schedule that is appropriate for your horse to insure that it remains healthy and happy.